

CRACKLING BODY MIST 17.016.04 C185

Claims:

- Quick absorbing mist providing crackling effect upon application
- Comfortable skin feel despite only 5% oil phase
- Moisturizing effect

PHASE	INGREDIENT	INCI NAME	SUPPLIER	%
Α	Deionized Water Dermofeel® PA-3	Water Sodium Phytate (and) Aqua (and) Alcohol	- Dr Straetmans	87.45 0.10
В	Glycerin Ecogel™	Glycerin Lysolecithin (and) Sclerotium Gum (and) Xanthan Gum (and) Pullulan	Interchimie Lucas Meyer Cosmetics	2.00 0.60
С	Heliofeel™	Glyceryl Stearate Citrate (and) Polyglyceryl-3 Stearate (and) Hydrogenated Lecithin Isononyl Isononanoate	Lucas Meyer Cosmetics	2.00
	Dub Inin		Stearinerie Dubois	5.00
D	Vitapherole® E-1000	Tocopherol (and) Helianthus Annuus (Sunflower) Seed Oil	VitaeNaturals	0.10
Е	Verstatil® PC Exo-H™	Phenoxyethanol (and) Caprylyl Glycol Water (and) Butylene Glycol (and) Alteromonas Ferment Extract	Dr Straetmans Lucas Meyer Cosmetics	1.00 1.50
	7213821	Fragrance	IFF	0.25

Manufacturing Procedure:

- 1. Heat phases A and C up to 75°C.
- 2. When the temperature is up to 75°C, add premix B into A and keep under medium/high stirring during 30 minutes to hydrate phospholipids.
- 3. Add C and D (just before emulsifying) into AB under maximum stirring during 3 minutes to emulsify the product.
- 4. Cool down under medium stirring.
- 5. Add ingredients of E, one by one, below 40°C.
- 6. Adjust the pH if necessary.

Formula Specifications:

Aspect: Off-white fluid lotion

Viscosity (Brookfield LV, spindle 4, 6 rpm, 1 min): 2 000 - 4 500 cP

pH: 5.0 - 5.5

Preservative efficacy test: Pass

Pilot batch: 32 kg

Stability Tests:

Up to 2 weeks at Room Temperature and 50°C Centrifugation (3000 rpm, 20 min): Stable Vibrating table (400 rpm, 4h): Stable