



K.S.PEARL CO., LTD.

52B-5L, Namdong Industrial Complex, 249, Namdongdong-ro,
Namdong-gu, Incheon City, Korea

SAMPLE NAME

KSP 100% Zinc Sun Stick
(SPF50+/ PA++++)

PART	INCI NAME	INGREDIENT NAME	MANUFACTURER	Wt%
1	POLYETHYLENE	PERFORMALENE 500 POLYETHYLENE	-	10.00
	OZOKERITE	OZOKERITE 7636	Kahl & Co	3.00
	PHENYL TRIMETHICONE	DC(Silicone) 556	Dow Corning	5.00
	PROPYLHEPTYL CAPRYLATE	CETIOL SENSOFT	BASF	10.80
	HEXYL LAURATE	CETIOL A	BASF	15.00
	DICAPRYLYL CARBONATE	CETIOL CC	BASF	13.00
	DIMETHICONE (AND) DIMETHICONE/ VINYL DIMETHICONE CROSSPOLYMER	KSG-16	Shinetsu	6.00
	POLYGLYCERYL-4DIISOSTEARATE/ POLYHYDROXYSTEARATE/SEBACATE	ISOLAN GPS	EVONIK	2.00
	ZINC OXIDE* TRIETHOXYLCAPRYLYLSILANE	M-ZnO P AS	K.S.PEARL	24.00
SILICA*DIMETHICONE	SB K SSA	K.S.PEARL	8.00	
SYNTHETIC FLUORPHLOGOPITE* TRIETHOXYLCAPRYLYLSILANE	Syn-Mica M AS	K.S.PEARL	3.00	
3	PERFUME	Perfume	-	0.20

100.00

Manufacturing Process

Part 1 ———|H.M, 80-90 °C,

Part 2 ———|H.M, 80-90 °C, Pigment Base

Part 3 ———|H.M Perfume